


PARK BRAKE LEVERS:



XPB-102



XPB-105



XPB-110



XPB-008



XPB-009



XPB-028



XPB-200



XPB-210




XPB-220





XPB-230




XPB-120




- ☐ **Over Center Park Brake Lever With Safety Latch mechanism.**
- ☐ **Available with Flange/Side mount option.**
- ☐ **Maximum travel 50mm.**
- ☐ **Travel and cable tension are adjustable.**
- ☐ **Adjustable knob allows compensation for system wear.**




- ☐ **Over Center Park Brake Lever With Safety Latch mechanism.**
- ☐ **Available with Flange/Side mount option.**
- ☐ **Optional rubber grip.**
- ☐ **Maximum travel 56mm**
- ☐ **Travel and cable tension are adjustable**
- ☐ **Adjustable knob allows compensation for system wear.**




- ☐ **Over Center Park Brake Lever With Safety Latch mechanism.**
- ☐ **Available with Flange/Side mount option.**
- ☐ **Optional rubber grip.**
- ☐ **Maximum travel 56mm**
- ☐ **Travel and cable tension are adjustable**
- ☐ **Adjustable knob allows compensation for system wear.**



- ☐ **Over Center Park Brake Lever.**
- ☐ **Maximum travel 50mm.**
- ☐ **Travel and cable tension are adjustable.**
- ☐ **Adjustable knob allows compensation for system wear.**
- ☐ **Flange mounted.**




- ☐ **Over Center Park Brake Lever.**
- ☐ **64mm Side Plates, Side Mount.**
- ☐ **3 sets of Cable clamp mountings.**
- ☐ **Maximum travel 56mm**
- ☐ **Travel and cable tension are adjustable**
- ☐ **Adjustable knob allows compensation for system wear.**




- ☐ **Over Center Park Brake Lever. 64mm Side Plates, side**
- ☐ **mount. No Cable support. Maximum travel 56mm Travel**
- ☐ **and cable tension are adjustable Adjustable knob allows**
- ☐ **compensation for system wear.**
- ☐
- ☐




- ☐ Over Center Park Brake Lever. 38mm Side Plates, side
- ☐ mount. 2 sets of side mounting holes. Maximum travel
- ☐ 56mm Travel and cable tension are adjustable
- ☐ Adjustable knob allows compensation for system wear.
- ☐
- ☐




- ☐ Ratchet type parking brake lever.
- ☐ Travel : 35mm Max.
- ☐ Floor mounted.



- ☐ Ratchet type parking brake lever.
- ☐ Travel : 50mm Max.
- ☐ Floor mounted.



- ☐ Ratchet type parking brake lever.
- ☐ Travel : 40mm Max.
- ☐ Floor mounted.



- ☐ **Over Center Park Brake Lever With Safety Latch mechanism.**
- ☐ **Maximum travel 50mm.**
- ☐ **Travel and cable tension are adjustable.**
- ☐ **Adjustable knob allows compensation for system wear.**
- ☐ **Side mounted.**